

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Revision date: 03/05/2021 Version: 1.03 Date of issue: 07/18/2014

### **SECTION 1: Identification**

#### 1.1. **Product identifier** Product name

Product code

1.2.

: Penetron Admix® RP

Not available. •

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

# : Concrete protection and permeability reduction

1.3. Details of the supplier of the safety data sheet

Penetron International, Ltd. 45 Research Way, Suite 203 East Setauket, New York 11733 - USA T +1 (631) 941-9700 info@penetron.com - penetron.com

#### 1.4. **Emergency telephone number**

Emergency number

: CHEMTREC: US and Canada: 1-800-424-9300; International +1 703-527-3887

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification (GHS-US) Skin Irritation 2 Serious Eye Damage 1

2.2. Label elements

### GHS-US labeling

Hazard pictograms (GHS-US)



### Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)

- : Danger
- : Causes skin irritation. Causes serious eye damage.
- : Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

#### 23 Other hazards

No additional information available.

Unknown acute toxicity (GHS US) 2.4.

Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable.

#### 3.2. Mixture

Name	Product identifier	%
Cement, portland, chemicals	(CAS No) 65997-15-1	30 - 50
Red Oxide	(CAS No) 1309-37-1	20 - 40
CTS-15-1	Trade Secret	10 - 30
CTS-15-2	Trade Secret	5 - 10
Calcium magnesium hydroxide (CaMg(OH)4)	(CAS No) 39445-23-3	1.5 - 6
Calcium magnesium hydroxide oxide (CaMg(OH)2O)	(CAS No) 58398-71-3	1.5 - 6
Calcium hydroxide	(CAS No) 1305-62-0	1.0 - 2

\* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

# **SECTION 4: First aid measures**

4.1.	Description of first aid measures		
First-aid n	neasures after inhalation	:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid n	neasures after skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid n	neasures after eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid n	neasures after ingestion	:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2.	Most important symptoms and effect	ts,	both acute and delayed
Symptom	s/injuries after inhalation	:	May cause respiratory tract irritation. May cause burns in the presence of moisture.
Symptom	s/injuries after skin contact	:	Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause burns in the presence of moisture.
Symptom	s/injuries after eye contact	:	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptom	s/injuries after ingestion	:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May cause burns in the presence of moisture.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

### SECTION 5: Firefighting measures

5.1.	Extinguishing media	
	e extinguishing media	: Treat for surrounding material.
Unsuita	able extinguishing media	: None known.
5.2.	Special hazards arising from t	he substance or mixture
Fire ha	zard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Protect	ion during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SEC1	ION 6: Accidental release	measures

6.1.	Personal precautions, protective equipment and emergency procedures		
Genera	al measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.	
6.2.	Methods and material for containm	ent and cleaning up	
For cor	ntainment	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Method	ls for cleaning up	: Vacuum or sweep material and place in a disposal container. Avoid generating dust. Provide ventilation.	
6.3.	Reference to other sections		

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage		
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	: Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene	measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2.	Conditions for safe storage, includ	ling any incompatibilities
Storage	conditions	: Keep out of the reach of children. Keep container tightly closed. Store in original container in a dry, cool, well-ventilated area. Keep out of direct sunlight. Keep away from food and drink. Store locked up.
7.3.	Specific end use(s)	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

# **SECTION 8: Exposure controls/personal protection**

comont portland chamicals		
Cement, portland, chemicals	• •	
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (no asbestos and <1% crystalline silica, respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total) 5 mg/m³ (resp) 50 mppcf (<1% Crystalline silica)
Red Oxide (1309-37-1)		
ACGIH/ OSHA	Not applicable.	
CTS-15-1		
ACGIH/ OSHA	Not applicable.	
CTS-15-2		
ACGIH/ OSHA	Not applicable.	
Calcium magnesium hydroxi	de (CaMg(OH)4) (39445-23-3)	
ACGIH/ OSHA	Not applicable.	
Calcium magnesium hydroxi	de oxide (CaMg(OH)2O) (58398-71-3)	
ACGIH/ OSHA	Not applicable.	
Calcium hydroxide (1305-62-	0)	
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m³
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
2. Exposure controls		
ppropriate engineering controls	: Use ventilation adequate to k recommended exposure limit	eep exposures (airborne levels of dust, fume, vapor, etc.) below s.
and protection	: Protective gloves made of rul	bber or PVC.
ve protection	: Wear approved eye (properly protection.	fitted dust- or splash-proof chemical safety goggles) / face (face shield)
kin and body protection	: Wear suitable protective cloth	ing.
espiratory protection	permissible exposure limits n direction of a trained health a	k or filtering facepiece is recommended in poorly ventilated areas or when hay be exceeded. Respirators should be selected by and used under the nd safety professional following requirements found in OSHA's respirator and ANSI's standard for respiratory protection (Z88.2).
nvironmental exposure controls	: Maintain levels below Comm	unity environmental protection thresholds.
ther information		nere material is handled, processed or stored. Wash hands carefully before cording to established industrial hygiene and safety practices.

9.1. Information on basi	physical and chemical properties
Physical state	: Solid
Appearance	: Powder
Color	: Red
Odor	: Odorless
Odor threshold	: No data available
рН	: No data available
pH solution	: 10 - 13 (10% solution in water)
Melting point	: > 1000 °C (> 1832 °F)
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
·	

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Not flammable
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

#### 9.2. **Other information**

No additional information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### **Chemical stability** 10.2.

Stable under normal storage conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. Reacts with water to form alkaline solution

10.4. **Conditions to avoid** 

Heat. Incompatible materials. Protect from low temperatures. Water.

#### Incompatible materials 10.5.

Strong acids.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

## **SECTION 11: Toxicological information**

11.1.	Information on to	xicological effects
-------	-------------------	---------------------

Acute toxicity	: Not classified	
Penetron Admix® RP		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available	
CTS-15-1		
LD50 oral rat	2800 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	2.3 mg/l/4h	
CTS-15-2		
LD50 oral rat	9300 mg/kg	
Calcium hydroxide (1305-62-0)		
LD50 oral rat	7340 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: Based on available data, the classification criteria are not met.	
Reproductive toxicity	: Based on available data, the classification criteria are not met.	
03/05/2021	EN (English US)	4/5

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.	
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.	
Aspiration hazard	: Based on available data, the classification criteria are not met.	
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause burns in the presence of moisture.	
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause burns in the presence of moisture.	
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.	
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May cause burns in the presence of moisture.	

### **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general	: No known significant effects or critical hazards.
12.2. Persistence and degradability	
No information available	
12.3. Bioaccumulative potential	
No information available	
12.4. Mobility in soil	
No information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considera	tions

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

### **SECTION 14: Transport information**

14.1. DOT, ADR, IMDG, IATA transportation	
In accordance with DOT, ADR, IMDG, IATA	
Not regulated for transport	
Not regulated as Dangerous Goods	
14.2. Additional information	
Other information :	No supplementary information available.
Special transport precautions :	Do not handle until all safety precautions have been read and understood.

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. US State regulations

Penetron Admix® RP		
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer,	
	birth defects or other reproductive harm.	

## **SECTION 16: Other information**

Date of issue	:	07/18/2014
Revision date	:	03/05/2021
Other information	:	None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.